



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-051-26,029-00-00		Company TDI, Inc.	
Well Mike No 1		Field Wildcat	
County Ellis		State Kansas	
Location NE SE SW SE 583' FSL & 1,490' FEL		Other Services CNL/CDL DIL	
Sec: 3 Twp: 15S Rge: 19W		Elevation K.B. 2059 D.F. 2049 G.L. 2049	
Permanent Datum	Ground Level	Elevation 2049	
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing		
Date	09/23/2010		
Run Number	Two		
Depth Driller	3750		
Depth Logger	3749		
Bottom Logged Interval	3748		
Top Log Interval	2850		
Casing Driller	8.625 @ 222		
Casing Logger	219		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	7.000		
Density / Viscosity	9.2 50		
pH / Fluid Loss	9.5 8.0		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.5 @ 80		
Rmf @ Meas. Temp	1.13 @ 80		
Rmc @ Meas. Temp	2.03 @ 80		
Source of Rmf / Rmc	Charts		
Rm @ BHT	1.04 @ 116		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	116		
Equipment Number	17		
Location	Hays		
Recorded By	Mike Garrison		
Witnessed By	Herb Deines		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Antonino, 1 West, 1 South, 1/2 West, North Into


Database File: c:\warrior\data\tdi_mike no 1\tdihd.db
Dataset Pathname: dil\tdistck
Presentation Format: micro
Dataset Creation: Thu Sep 23 03:12:19 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0






3050

3100

3150

3200

3250




-32

-32

-32

-32

-32






3300


3350

3400

3450







3750

