

Borehole Compensated Sonic Log

(785) 625-3858

Company **Falcon Exploration, Inc.**

Well Swayze No. 2-17 (SW)

Field Wildcat

County **Clark** State **Kansas**

Location	SE - NE - NE - SW	2280' FSL & 2420' FWL

Sec: 17 Twp: 30 S Rge: 22 W

Elevation

Ground Level	Elevation 2460
Kelly Bushing	10 Ft. Above Perm. Datum

K.B.	2470
D.F.	
G.L.	2460

	6
--	---

	BHC Sonic
--	-----------

5506	
------	--

Interval	400
----------	-----

CL	10,500
----	--------

Full	7
------	---

me	6 Hours
estations	4E

	D. Beckel
	Miss Hall

Jill Hall

Borehole Record

1000

From

To

Size	Wgt.
------	------

From

To

2	7.875	
---	-------	--

406

5507

--	--

1888

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Kingsdown, Ks; 6-1/2 South on 94;
East Into



Database File: c:\warrior\data\facon_swayze # 2-17(sw)\falc.db
Dataset Pathname: DIL\faclstk
Presentation Format: sonic
Dataset Creation: Wed Sep 22 21:17:06 2010
Charted by: Depth in Feet scaled 1:240



Charted by: _____			Depth in Feet scaled 1:2.15				
0	Gamma Ray	150	5	0	140	Delta Time (usec/ft)	40
150	Gamma Ray	300			30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD























































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	15000	LTEN (lb)	0

LSPD