



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.		Company Berexco, LLC	
15-051-26,021-00-00		Well Henderson A4	
		Field Bemis-Shutts	
		County Ellis State Kansas	
Location		1,650' FNL & 2,310' FWL	
Sec: 22 Twp: 11S Rge: 18W		Other Services CDL/MEL	
Permanent Datum Ground Level		Elevation 1936	
Log Measured From Kelly Bushing		11 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 1947 D.F. 1936 G.L. 1936	
Date	08/29/2010		
Run Number	One		
Depth Driller	3555		
Depth Logger	3557		
Bottom Logged Interval	3556		
Top Log Interval	1050		
Casing Driller	8.625 @ 1071		
Casing Logger	1070		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	5.200		
Density / Viscosity	9.0 63		
pH / Fluid Loss	11.8 8.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	.75 @ 78		
Rmf @ Meas. Temp	.56 @ 78		
Rmc @ Meas. Temp	1.01 @ 78		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.52 @ 114		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	114		
Equipment Number	17		
Location	Hays		
Recorded By	Mike Garrison		
Witnessed By	Byran Bynog		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hays, 16 North, East Into





1600

1650

1700

1750

1800

1850


1900

1950

2000

2050

2100



-83

-81

-81

-81

-81

-81


-81

-81

-81

-81

-81



2150

2200

2250

2300

2350

2400


2450

2500

2550

2600

2650



-80

-81

-81

-80

-79

-79


-79

-78

-79

-79

-79



2700

2750

2800

2850

2900

2950


3000

3050

3100

3150

3200



-31

-31

-31

-31

-31

-31


-31

-30



-30


-30

-30



Database File: c:\warrior\data\berexco_henderson a4\berexco.db
 Dataset Pathname: rag/bxcoragcdl
 Presentation Format: rag
 Dataset Creation: Mon Aug 30 00:47:23 2010
 Charted by: Depth in Feet scaled 1:240





Database File: c:\warrior\data\berexco_henderson a4\berexco.db
Dataset Pathname: rag/bxcoragcdl
Presentation Format: rag
Dataset Creation: Mon Aug 30 00:47:23 2010
Charted by: Depth in Feet scaled 1:240

