



Neutron / Density Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-051-26,008-00-00

Company Berexco LLC

Well Goetz No C-3

Field Toulon

County Ellis

State Kansas

Location

798' FSL & 2970' FEL

Other Services
MEL/RAG

Sec: 3

Twp: 14S

Rge: 17W

Elevation

Permanent Datum

Ground Level

Elevation 2001

Log Measured From

Kelly Bushing

11 Ft. Above Perm. Datum

Drilling Measured From

Kelly Bushing

K.B. 2012
D.F.
G.L. 2001

Date

08/17/2010

Run Number

One

Type Log

Dual Porosity

Depth Driller

3592

Depth Logger

3600

Bottom Logged Interval

3598

Top Logged Interval

2700

Type Fluid In Hole

Chemical

Salinity, PPM CL

9,000

Density

9.0

Level

Full

Max. Rec. Temp. F

114

Operating Rig Time

4 Hours

Equipment -- Location

17 Hays

Recorded By

Mike Garrison

Witnessed By

Bryan Bynog

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

284

8.625

23#

00

284

Two

7.875

284

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Toulon, East to 310Rd, 1 North, 1/2 East, North Into

Database File: berexcohd2.db
Dataset Pathname: rag/brxd
Presentation Format: swnodl
Dataset Creation: Tue Aug 17 05:48:39 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Density Caliper (GAPI)	16

30	Neutron	-10
30	Compensated Density (2.71 ma)	-10
15000	Line Weight	0
-0.25	Correction	0.25
LSPD		









