



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-083-21,662-00-00

Company American Warrior, Inc.

Well Ronald-Brian No. 1-15

Field Wildcat

County Hodgeman

State Kansas

Location

600' FSL & 2268' FWL

Other Services
DIL/MEL

Sec: 15 Twp: 21S Rge: 25W

Permanent Datum Ground Level Elevation 2330
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 2341
D.F. 2330
G.L. 2330

Date 08/11/2010

Run Number One

Type Log CNL / CDL

Depth Driller 4520

Depth Logger 4524

Bottom Logged Interval 4503

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 7,400

Density 9.4

Level Full

Max. Rec. Temp. F 123

Operating Rig Time 3 Hours

Equipment -- Location 17 Hays

Recorded By Jason Wellbrock

Witnessed By Jason Alm

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	236	8.625	23#	00	236
Two	7.875	236	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Ness City S to Xrd, 8W, 2S, 1/2W, N Into

Database File: awhd.db
Dataset Pathname: dil/aw2in
Presentation Format: cdl
Dataset Creation: Wed Aug 11 23:06:59 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD





Database File: awndr.d
Dataset Pathname: dil/aw2in
Presentation Format: cndlspec
Dataset Creation: Wed Aug 11 23:06:59 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0

