



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	15-083-21,662-00-00		
Company	American Warrior, Inc.		
Well	Ronald-Brian No. 1-15		
Field	Wildcat		
County	Hodgeman	State	Kansas
Location	600' FSL & 2268' FWL		Other Services CNL/CDL DIL
Sec: 15	Twp: 21S	Rge: 25W	Elevation

Permanent Datum	Ground Level	Elevation 2330	K.B. 2341
Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum	D.F. 2330
Drilling Measured From	Kelly Bushing		G.L. 2330
Date	08/11/2010		
Run Number	One		
Depth Driller	4520		
Depth Logger	4524		
Bottom Logged Interval	4523		
Top Log Interval	3600		
Casing Driller	8.625 @ 236		
Casing Logger	222		
Bit Size	8.625		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	7.400		
Density / Viscosity	9.4 51		
pH / Fluid Loss	8.5 12.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	.68 @ 80		
Rmf @ Meas. Temp	.51 @ 80		
Rmc @ Meas. Temp	.91 @ 80		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.44 @ 123		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	123		
Equipment Number	17		
Location	Hays		
Recorded By	Jason Wellbrock		
Witnessed By	Jason Alm		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Ness City S to Xrd, 8W, 2S, 1/2W, N Into

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0



3600


3650



3700


3750

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD









4050

4100

4150

4200






4250

4300

4350

4400




-33

-32

-33


-32



4450

4500

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0



-31

-31

0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD