



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Gilbert-Stewart Operating, LLC		
	Well Lincoln No. 7		
	Field Chase Silica		
	County Rice	State	Kansas
15-159-22,614-00-00	Location	SE NE NE 1,080' FNL & 330' FEL	
	Sec: 5	Twp: 19S	Rge: 9W
Permanent Datum	Ground Level	Elevation 1711	
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing	K.B. 1719 D.F. 1711 G.L. 1711	
Date	06/18/2010		
Run Number	One		
Depth Driller	3350		
Depth Logger	3351		
Bottom Logged Interval	3350		
Top Log Interval	00		
Casing Driller	8.625 @ 294		
Casing Logger	293		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	9.100		
Density / Viscosity	9.1 68		
pH / Fluid Loss	11.5 8.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	.8 @ 80		
Rmf @ Meas. Temp	.60 @ 80		
Rmc @ Meas. Temp	1.08 @ 80		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.57 @ 80		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	112		
Equipment Number	17		
Location	Hays		
Recorded By	Mike Garrison		
Witnessed By	Adam Kennedy		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Bushton, 7 South to G Road, 1 East, South Into



Database File: c:\warrior\data\gil-stew_lincoln no. 7\gilstew.db
Dataset Pathname: dil/gsstck
Presentation Format: dil2in
Dataset Creation: Fri Jun 18 19:59:38 2010
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
-200	SP (mV)	0

0	Shallow Resistivity	50	LSPD
0	Deep Resistivity	50	
1000	Conductivity		0
15000	Line Tension		0
50	Shallow Resistivity	500	
50	Deep Resistivity	500	
















1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100





-72
-72
-70
-70
-70
-70
-70
-70
-70
-70
-70













Database File: c:\warrior\data\gil-stew_lincoln no. 7\gilstew.db
 Dataset Pathname: dil/gsstck
 Presentation Format: dil
 Dataset Creation: Fri Jun 18 19:59:38 2010
 Charted by: Depth in Feet scaled 1:240








2550

2600

2650

2700




-31

-31

-31

-31




2750

2800

2850

2900

2950




-31

-31

-30

-30

-30




3000

3050

3100

3150





-30

-30

-28

-28



LSPD