



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.	15-135-25,057-00-00	
Company	American Warrior, Inc.	
Well	Brehm - Kleweno No. 1-19	
Field	Wunder	
County	Ness	State
		Kansas
Location	1,965' FNL & 1,245' FWL	
Sec:	19	Twp: 18S Rge: 21W
Permanent Datum	Ground Level	Elevation 2134
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
		Other Services CNL/CDL
		Elevation K.B. 2142 D.F. 2134 G.L. 2134

Date	6/10/2010	
Run Number	One	
Depth Driller	4235	
Depth Logger	4237	
Bottom Logged Interval	4236	
Top Log Interval	1400	
Casing Driller	8.625 @ 1412	
Casing Logger	1410	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	8200	
Density / Viscosity	9.4	47
pH / Fluid Loss	8.5	13.6
Source of Sample	Flowline	
Rm @ Meas. Temp	.34	@ 78
Rmf @ Meas. Temp	.26	@ 78
Rmc @ Meas. Temp	.46	@ 78
Source of Rmf / Rmc	Charts	
Rm @ BHT	.22	@ 120
Operating Rig Time	2 Hours	
Max Rec. Temp. F	120	
Equipment Number	10	
Location	Hays	
Recorded By	J. Long	
Witnessed By	Jason Alm	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bazine, DD Rd (West Side of Junk Yard), 2 North, 1/4 East, South Into

Database File: amwarr_brehm-kleweno_1-19hd.db
 Dataset Pathname: dil/awstck
 Presentation Format: dil2in
 Dataset Creation: Thu Jun 10 11:36:30 2010
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150
-200 SP 0

0 Shallow Resistivity 50
0 Deep Resistivity 50



LSPD




1000 Conductivity 0



15000 Line Tension 0


50 Shallow Resistivity 500

50 Deep Resistivity 500















3000
3050
3100
3150
3200
3250
3300
3350
3400
3450






-79
-79
-79
-79
-79
-79
-79
-79
-76
-79






Database File: amwarr_brehm-kleweno_1-19hd.db
 Dataset Pathname: dil/awstck
 Presentation Format: dil
 Dataset Creation: Thu Jun 10 11:36:30 2010
 Charted by: Depth in Feet scaled 1:240





1500

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



-100

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0


LSPD

Database File: amwarr_brehm-kleveno_1-19hd.db
 Dataset Pathname: dil/awstck
 Presentation Format: dil
 Dataset Creation: Thu Jun 10 11:36:30 2010
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD




3500

3550



-35

-36




3600

3650

3700

3750

3800




-36

-35

-35

-36

-35




3850

3900

3950

4000




-35

-35

-35

-29




4050

4100

4150

4200



-29

-29

-29

-29

