



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company Indian Oil Company Well Lambert No.1 Field Wildcat County Barber State Kansas					
15-007-23,635-00-00		Location SW SE SW NW 2550' FNL & 750' FWL				Other Services DIL MEL/BHCS	
Sec: 1		Twp: 30S		Rge: 15W		Elevation	
Permanent Datum		Ground Level		Elevation 1893		K.B. 1903	
Log Measured From		Kelly Bushing		10 Ft. Above Perm. Datum		D.F.	
Drilling Measured From		Kelly Bushing				G.L. 1893	
Date		1/13/2011					
Run Number		One					
Type Log		CNL / CDL					
Depth Driller		4670					
Depth Logger		4673					
Bottom Logged Interval		4652					
Top Logged Interval		3600					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		5,000					
Density		9.4					
Level		Full					
Max. Rec. Temp. F		125					
Operating Rig Time		4 1/2 Hours					
Equipment -- Location		15 Days					
Recorded By		C. Desaire					
Witnessed By		Anthony Farrar					
Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	307	8.625	24#	00	307
2	7.875	307	4670				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858
Coats, 3 W,
1 S, 1 W, 3 S,
1 1/2 W, N Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			















