



SUPERIOR
Hays,
Kansas

SONIC
LOG

Company	VINCENT OIL CORPORATION		
Well	IMEL #2-5		
Field			
County	FORD	State	KANSAS
Location:	API # : 15-057-20694		Other Services CDL/CNL/PE DIL/MEL
2310' FSL & 500' FWL			
SEC 5 TWP 29S RGE 22W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2513
Log Measured From	KELLY BUSHING 12' A.G.L.	D.F.	
Drilling Measured From	KELLY BUSHING	G.L.	2513
Date	8-31-10		
Run Number	ONE		
Depth Driller	5450		
Depth Logger	5456		
Bottom Logged Interval	5449		
Top Log Interval	600		
Casing Driller	607		
Casing Logger	605		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES: 14.000 ppm	
Density / Viscosity	9.5 / 59		
pH / Fluid Loss	9.0 / 13.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	0.30 @ 91F		
Rmf @ Meas. Temp	0.23 @ 91F		
Rmc @ Meas. Temp	0.36 @ 91F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.210 @ 129F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	9:00 A.M.		
Maximum Recorded Temperature	129F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	KEN LeBLANCK		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: KINGSDOWN, 2N ON BLACKTOP, 1/4E INTO.





SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 005652pdr.db
 Dataset Pathname: pass6.1
 Presentation Format: slt
 Dataset Creation: Tue Aug 31 13:44:25 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		

















1700



1750


1800

1850











2350


2400


2450

2500












3000


3050

3100

3150









3450


3500


3550


3600












4300


4350

4400

4450

4500







4550

4600

4650

4700






4750


4800

4850

4900

4950







5000


5050

5100

5150










SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005652pdn.db
 Dataset Pathname: pass5.1
 Presentation Format: slt
 Dataset Creation: Tue Aug 31 11:50:22 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240





5250

5300

5350

5400

