



Borehole Compensated
Sonic Log

DIGITAL LOG (785) 625-3858

API No.		Company Maralex Resources, Inc. Well McReynolds Trust No. 9-1 Field Wildcat County Rocks State Kansas					
15-163-23,912-00-00		Location NW SW SE 990' FSL & 2,306' FEL				Other Services CNL/CDL MEL/DIL	
		Sec: 9 Twp: 7 S Rge: 17 W					
Permanent Datum		Ground Level		Elevation 1907		K.B. 1912 D.F. 1907 G.L. 1907	
Log Measured From		Kelly Bushing		5 Ft. Above Perm. Datum			
Drilling Measured From		Kelly Bushing					
Date		11/29/2010					
Run Number		Two					
Type Log		BHC Sonic					
Depth Driller		3486					
Depth Logger		3490					
Bottom Logged Interval		3479					
Top Logged Interval		450					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		2900					
Density		9.0					
Level		Full					
Max. Rec. Temp. F		111					
Operating Rig Time		5 Hours					
Equipment -- Location		10 Hays					
Recorded By		J Schuler		J Long			
Witnessed By		Marc Downing					
Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	473	8.625	24#	00	473
2	7.875	473	3486				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Stockton, East 3 Miles to Road 22, North 1 Mile, West Into



Charted by:		Depth in feet scaled 1:2.15						
0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40		
150	Gamma Ray	300		5	0	30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0	
							LSPD	















































150	Gamma Ray	300	5	0	30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD