



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-163-23,912-00-00		Company Maralex Resources, Inc.	
Well McReynolds Trust No. 9-1		Field Wildcat	
County Rooks		State Kansas	
Location NW SW SE 990' FSL & 2,306' FEL		Other Services CNL/CDL DIL/BHCS	
Sec: 9 Twp: 7 S Rge: 17 W		Elevation K.B. 1912 D.F. 1907 G.L. 1907	
Permanent Datum Ground Level		Elevation 1907	
Log Measured From Kelly Bushing		5 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing			
Date	11/29/2010		
Run Number	Two		
Depth Driller	3486		
Depth Logger	3490		
Bottom Logged Interval	3489		
Top Log Interval	2600		
Casing Driller	8.625 @ 473		
Casing Logger	473		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2900		
Density / Viscosity	9.0 55		
pH / Fluid Loss	10.0 7.6		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.05 @ 61		
Rmf @ Meas. Temp	0.79 @ 61		
Rmc @ Meas. Temp	1.42 @ 61		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.58 @ 111		
Operating Rig Time	5 Hours		
Max Rec. Temp. F	111		
Equipment Number	10		
Location	Hays		
Recorded By	J Schuler	J Long	
Witnessed By	Marc Downing		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Stockton, East 3 Miles to Road 22, North 1 Mile, West Into



Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0




2600
2650
2700
2750



LSPD






3050

3100

3150

3200




-32

-32

-32

-32




3250

3300

3350

3400

3450



-32

-30


-30

-30

-30



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD