



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Maralex Resources, Inc.			
15-163-23,912-00-00	Well McReynolds Trust No. 9-1			
	Field	Wildcat		
	County	Rooks	State	Kansas
	Location	NW SW SE 990' FSL & 2,306' FEL		
	Sec: 9	Twp: 7 S	Rge: 17 W	Other Services CNL/CDL MEI/BHCS
Permanent Datum	Ground Level		Elevation 1907	K.B. 1912
Log Measured From	Kelly Bushing		5 Ft. Above Perm. Datum	D.F. 1907
Drilling Measured From	Kelly Bushing			G.L. 1907
Date	11/29/2010			
Run Number	One			
Depth Driller	3486			
Depth Logger	3490			
Bottom Logged Interval	3489			
Top Log Interval	450			
Casing Driller	8.625 @ 473			
Casing Logger	473			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity, ppm CL	2900			
Density / Viscosity	9.0 55			
pH / Fluid Loss	10.0 7.6			
Source of Sample	Flowline			
Rm @ Meas. Temp	1.05 @ 61			
Rmf @ Meas. Temp	0.79 @ 61			
Rmc @ Meas. Temp	1.42 @ 61			
Source of Rmf / Rmc	Charts			
Rm @ BHT	0.58 @ 111			
Operating Rig Time	5 Hours			
Max Rec. Temp. F	111			
Equipment Number	10			
Location	Hays			
Recorded By	J Schuler		J Long	
Witnessed By	Marc Downing			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Stockton, East 3 Miles to Road 22, North 1 Mile, West Into

Database File: c:\warrior\data\maralex_mcreynolds trust no. 9-1\maralex.db
Dataset Pathname: dil\marstk
Presentation Format: dil2in
Dataset Creation: Mon Nov 29 14:33:00 2010
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD


1000	Conductivity	0
15000	Line Tension	0

50	Shallow Resistivity	500
50	Deep Resistivity	500













2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550





-66
-66
-65
-66
-66
-64
-64
-64
-47
-34
-34






Database File: c:\warrior\data\maralex_mcreynolds trust no. 9-1\maralex.db
Dataset Pathname: dil/marstk
Presentation Format: dil
Dataset Creation: Mon Nov 29 14:33:00 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP (mV)	0	0.2	Medium Resistivity	2000
100	Deep Resistivity	50	0.2	Shallow Resistivity	2000






2650

2700

2750

2800




-34

-33

-33

-34




2850

2900

2950

3000

3050




-32

-32

-32

-32

-32




3100

3150

3200

3250





-32

-32

-32

-32



-160 Rxo / Rt 40

0.2	Shallow Resistivity	2000
15000	Line Tension	0

		LSPD
--	--	------