

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-097-20469-00-01

Company Strata Exploration, Inc.

Well Unruh #2-33

Field Einsel

County Kiowa

State

Kansas

Location

NW NW
660' FNL & 660' FWL

Sec: 33

Twp: 27S

Rge: 18W

Elevation

Permanent Datum Ground Level
Log Measured From Kelly Bushing
Drilling Measured From Kelly Bushing

11 Ft. Above Perm. Datum

K.B. 2210
D.F.
G.L. 2199

Date

11/28/2010

Run Number

One

Depth Driller

5518

Depth Logger

5518

Bottom Logged Interval

5517

Top Log Interval

4500

Casing Driller

8.625 @ 373

Casing Logger

375

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

8600

Density / Viscosity

9.0

pH / Fluid Loss

9.0

Source of Sample

Flowline

Rm @ Meas. Temp

0.20 @ 68

Rmf @ Meas. Temp

0.15 @ 68

Rmc @ Meas. Temp

0.27 @ 68

Source of Rmf / Rmc

Charts

Rm @ BHT

0.09 @ 144

Operating Rig Time

3 Hours

Max Rec. Temp. F

144

Equipment Number

17

Location

Hays

Recorded By

R. Barnhart

Witnessed By

Jon Christensen

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Greensburg, KS:
From stoplight N to edge of town, L fork NW 3 1/2,
1/2W, S into

Database File: strata_unruh2-33hd.db
Dataset Pathname: dil/strmain
Presentation Format: dil2in
Dataset Creation: Sun Nov 28 18:43:03 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50




LSPD


1000	Conductivity	0
------	--------------	---

15000	Line Tension	0
-------	--------------	---

50	Shallow Resistivity	500
50	Deep Resistivity	500








4650

4700

4750

4800




-32

-32

-32

-32




4850

4900

4950

5000

5050




-32

-32

-32

-31

-31





5100

5150

5200

5250






5300

5350

5400

5450



-31

-31

-31

-31

