



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-159-22,631-00-00	
Company	Gilbert-Stewart Operating, LLC.	
Well	Lincoln No. 11	
Field	Chase-Silica	
County	Rice	State Kansas
Location	2310' FNL & 1090' FEL	
Sec: 5	Twp: 19 S	Rge: 9 W
Other Services	CNL/CDL MEL/BHCS	

Permanent Datum	Ground Level	Elevation 1708
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	11/24/2010	
Run Number	One	
Depth Driller	3350	
Depth Logger	3350	
Bottom Logged Interval	3349	
Top Log Interval	300	
Casing Driller	8.625 @ 306	
Casing Logger	304	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	10,500	
Density / Viscosity	9.2	67
pH / Fluid Loss	10.0	8.8
Source of Sample	Flowline	
Rm @ Meas. Temp	.60	@ 55
Rmf @ Meas. Temp	.45	@ 55
Rmc @ Meas. Temp	.81	@ 55
Source of Rmf / Rmc	Charts	
Rm @ BHT	.30	@ 112
Operating Rig Time	4 1/2 Hours	
Max Rec. Temp. F	112	
Equipment Number	4	
Location	Hays	
Recorded By	K. Bange	
Witnessed By	Adam Kennedy	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bushton, E to Chase blacktop, S to G rd, 1/2 E, 1/2 S, E into




0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500























Database File: c:\warrior\data\gil-stew_lincoln no. 11\gilstew112410hd.db
 Dataset Pathname: dil/gstack
 Presentation Format: dil
 Dataset Creation: Wed Nov 24 21:17:03 2010
 Charted by: Depth in Feet scaled 1:240





0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0



LSPD


Database File: c:\warrior\data\gil-stew_lincoln no. 11\gilstew112410hd.db
 Dataset Pathname: dil/gsstack
 Presentation Format: dil
 Dataset Creation: Wed Nov 24 21:17:03 2010
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD






2550

2600

2650

2700




-31

-31

-30

-30




2750

2800

2850

2900

2950




-30

-31

-31

-29

-29




3000

3050

3100

3150




-30


-29

-29

-30



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD