



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Brito Oil Company, Inc. Well Fairleigh 'B' No 1-36 Field Wildcat County Logan State Kansas			
15-109-20,951-00-00	Location	2310' FSL & 2541' FEL		Other Services CNL/CDL MEL
	Sec: 36	Twp: 15S	Rge: 33W	Elevation
	Permanent Datum	Ground Level		K.B. 2987
	Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum	D.F. 2982
	Drilling Measured From	Kelly Bushing		G.L. 2982
Date		11/21/2010		
Run Number		One		
Depth Driller		4725		
Depth Logger		4728		
Bottom Logged Interval		4727		
Top Log Interval		200		
Casing Driller		8.625 @ 243		
Casing Logger		243		
Bit Size		7.875		
Type Fluid in Hole		Chemical		
Salinity, ppm CL		3.000		
Density / Viscosity		9.2 60		
pH / Fluid Loss		10.0 7.4		
Source of Sample		Flowline		
Rm @ Meas. Temp		.75 @ 68		
Rmf @ Meas. Temp		.56 @ 68		
Rmc @ Meas. Temp		1.01 @ 68		
Source of Rmf / Rmc		Charts		
Rm @ BHT		.41 @ 125		
Operating Rig Time		3 Hours		
Max Rec. Temp. F		125		
Equipment Number		17		
Location		Hays		
Recorded By		Mike Garrison		
Witnessed By		Paul Gunzelman		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments




Thank you for using Log-Tech, Inc.
(785) 625-3858




Scott State Lake (Hwy 95) West to Pence Blacktop, 5 West to Grant Rd, 2 North, 2 East, 2 1/2 North to Location



Database File: c:\warrior\data\brito_fairleigh 'b' no 1-36\brito_fairleigh-1-36hd.db
Dataset Pathname: dil/britostck
Presentation Format: dil2in
Dataset Creation: Sun Nov 21 02:08:09 2010
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:600								
0	Gamma Ray	150	0	Shallow Resistivity	50	LSPD		
-200	SP (mV)	0	0	Deep Resistivity	50			
			1000	Conductivity		0		
			15000	Line Tension		0		
			50	Shallow Resistivity	500			
			50	Deep Resistivity	500			


































Database File: c:\warrior\data\brito_fairleigh 'b' no 1-36\brito_fairleigh-1-36hd.db
Dataset Pathname: dil/britostck
Presentation Format: dil
Dataset Creation: Sun Nov 21 02:08:09 2010
Charted by: Depth in Feet scaled 1:240






3600

3650

3700

3750




-38

-38

-37

-37




3800

3850

3900

3950

4000




-37

-37


-37

-36


26



4000
4050
4100
4150
4200



-38
-37
-36
-36
-36




4250

4300

4350

4400




-36

-36

-36

-36




4450

4500

4550

4600

4650




-36

-31

-31

-31

-31



4700

