

Dual Compensated Porosity Log

(785) 625-3858

Company **Brito Oil Company, Inc.**

Well Fairleigh 'B' No 1-36

Field Wildcat

County Logan State Kansas

15-109-20,951-00-00

Sec: 36 Twp: 15S Rge: 33W

Elevation

um	Ground Level	Elevation 2982
From	Kelly Bushing	5 Ft. Above Perm. Datum

ed From Kelly Bushing

K.B.	2987
D.F.	
G.L.	2982

	11/21/2010
--	------------

	CNL / CDL

	4728
--	------

Interval	4701
Interval	3500

Chemical	3,000
MCL	

$\frac{1}{2}$	$\frac{1}{2}$
-----------------------------------	-----------------------------------

Time	3 Hours
------	---------

Location	17	Ha
----------	----	----

Paul Gunzelm	
--------------	--

From	To
8	200

243	4725
-----	------

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Scott State Lake (Hwy 95) West to Pence Blacktop, 5 West to Grant Rd, 2 North, 2 East, 2 1/2 North to Location

Database File: c:\warrior\data\brito_fairleigh 'b' no 1-36\brito_fairleigh-1-36hd.db
Dataset Pathname: dil/britostck
Presentation Format: cdl
Dataset Creation: Sun Nov 21 02:08:09 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			

















