



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-083-21,679-00-00

Company American Warrior, Inc.

Well Ronald-Brian C No. 1-16

Field Wildcat

County Hodgeman

State Kansas

Location

2522' FNL & 1307' FEL

Other Services
DIL/MEL

Sec: 16 Twp: 21 S Rge: 25 W

Permanent Datum Ground Level Elevation 2319
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2330
D.F. 2319
G.L. 2319

Date 10/31/2010

Run Number One

Type Log CNL / CDL

Depth Driller 4510

Depth Logger 4511

Bottom Logged Interval 4490

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 4,500

Density 9.5

Level Full

Max. Rec. Temp. F 123

Operating Rig Time 4 Hours

Equipment -- Location 4 Hays

Recorded By K. Bange

Witnessed By Harley Sayles

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	224	8.625	23#	00	224
Two	7.875	224	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Ness City, 12 S to X rd, 8 W to 210 rd, 2 S to V rd,
3/4 W, 1/2 N, NW into

Database File: awar103110hd.db
Dataset Pathname: dil/awstack
Presentation Format: cdl
Dataset Creation: Sun Oct 31 16:14:14 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			





Database File: awar103110hd.db
Dataset Pathname: dil/awstack
Presentation Format: cndlspec

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0

