



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No. 15-159-22,628-00-00	Company Gilbert-Stewart Operating L.L.C.	Well Lincoln No.10	Field Chase-Silica	County Rice	State Kansas
Location 700' FNL & 360' FEL	Sec: 7	Twp: 19S	Rge: 9W	Other Services CNL/CDL MEL/BHCS	
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Frotkelly Bushing	Elevation 1708 7 Ft. Above Perm. Datum	Elevation K.B. 1715 D.F. 1708 G.L. 1708		

Date	10/30/2010
Run Number	One
Depth Driller	3350
Depth Logger	3354
Bottom Logged Interval	3353
Top Log Interval	0
Casing Driller	8.625 @ 317
Casing Logger	328
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	9,400
Density / Viscosity	8.9 52
pH / Fluid Loss	10.5 9.4
Source of Sample	Flowline
Rm @ Meas. Temp	.36 @ 68
Rmf @ Meas. Temp	.27 @ 68
Rmc @ Meas. Temp	.49 @ 68
Source of Rmf / Rmc	Charts
Rm @ BHT	.23 @ 110
Operating Rig Time	4 Hours
Max Rec. Temp. F	110
Equipment Number	10
Location	Hays
Recorded By	C. Desaire
Witnessed By	Adam Kennedy

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bushton, E to Gas Plant,
7 1/8 S, W Into

Database File: gshd.db
 Dataset Pathname: dil/gsstk
 Presentation Format: dil2in
 Dataset Creation: Sat Oct 30 20:58:44 2010
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150
-200 SP 0

0 Shallow Resistivity 50
0 Deep Resistivity 50




LSPD




1000 Conductivity 0



15000 Line Tension 0


50 Shallow Resistivity 500

50 Deep Resistivity 500
















1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100





-71
-71
-78
-76
-76
-76
-76
-76
-76
-76
-76









Database File: gshd.db
 Dataset Pathname: dil/gsstk
 Presentation Format: dil
 Dataset Creation: Sat Oct 30 20:58:44 2010
 Charted by: Depth in Feet scaled 1:240







400




-66

LSPD

Database File: gshd.db
 Dataset Pathname: dil/gsstk
 Presentation Format: dil
 Dataset Creation: Sat Oct 30 20:58:44 2010
 Charted by: Depth in Feet scaled 1:240




LSPD



2400

2450


2500



-32

-32

-32




2550

2600

2650

2700




-32

-32

-32

-32




2750

2800

2850

2900




-32

-31

-32

-31




2950

3000

3050

3100

3150




-31

-31


-31

-31

-31



0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

