



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	Company Bach Oil Production			
	Well Sammons No. 1			
	Field Wildcat			
	County	Rooks	State	Kansas
15-163-23,898-00-00	Location	530' FSL & 1460' FEL		
	Sec: 11	Twp: 7S	Rge: 20W	Other Services CNL/CDL DIL
Permanent Datum	Ground Level	Elevation 2111		Elevation
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum		K.B. 2116
Drilling Measured From	Kelly Bushing			D.F. 2111
Date	10/25/2010			
Run Number	Two			
Depth Driller	3650			
Depth Logger	3650			
Bottom Logged Interval	3649			
Top Log Interval	3000			
Casing Driller	8.625 @ 218			
Casing Logger	213			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity, ppm CL	3.000			
Density / Viscosity	9.2 51			
pH / Fluid Loss	10.0 8.8			
Source of Sample	Flowline			
Rm @ Meas. Temp	.9 @ 68			
Rmf @ Meas. Temp	.68 @ 68			
Rmc @ Meas. Temp	1.22 @ 68			
Source of Rmf / Rmc	Charts			
Rm @ BHT	.53 @ 115			
Operating Rig Time	3 Hours			
Max Rec. Temp. F	115			
Equipment Number	17			
Location	Hays			
Recorded By	Mike Garrison			
Witnessed By	Randy Kilian			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Damar, North to Hwy 24, 4 East to Rd 6, 3 North to Rd I West Into


Database File: c:\warrior\data\bach_sammons no. 1\bach_sammons-1hd.db
Dataset Pathname: dil/bachstck
Presentation Format: micro
Dataset Creation: Mon Oct 25 23:24:17 2010
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0






3200


3250

3300

3350

3400






3450

3500

3550

3600




-28

-28


-27

-27



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

3650



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD