



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-163-23,896-00-00	Company Bach Oil Production	Well Dellenbach No. 1	Field Loclela
	County Rooks	State Kansas	
	Location 1000' FNL & 620' FEL		
	Sec: 27	Twp: 6S	Rge: 20W
	Elevation K.B. 2123 D.F. 2116 G.L. 2116		Other Services CNL/CDL DIL

Permanent Datum Ground Level	9/27/2010	Elevation 2116
Log Measured From Kelly Bushing		7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing		
Date	9/27/2010	
Run Number	Two	
Depth Driller	3675	
Depth Logger	3676	
Bottom Logged Interval	3675	
Top Log Interval	3100	
Casing Driller	8.625 @ 207	
Casing Logger	209	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	1.000	
Density / Viscosity	9.4 47	
pH / Fluid Loss	9.5 8.8	
Source of Sample	Flowline	
Rm @ Meas. Temp	2.2 @ 70	
Rmf @ Meas. Temp	1.65 @ 70	
Rmc @ Meas. Temp	2.97 @ 70	
Source of Rmf / Rmc	Charts	
Rm @ BHT	1.37 @ 113	
Operating Rig Time	3 1/2 Hours	
Max Rec. Temp. F	113	
Equipment Number	15	
Location	Hays	
Recorded By	C. Desaire	
Witnessed By	Randy Killian	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858



 Damar, N to J Rd,
 E to Logan Rd, N to E Rd,
 1 3/4 E, S Into

Database File: c:\warrior\data\bach_dellenbach no.1\bachhd.db
 Dataset Pathname: dil/bachstk
 Presentation Format: micro
 Dataset Creation: Mon Sep 27 12:10:19 2010
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD



3100

-31

3150


-31

3200

-31

3250

-30




3300

3350

3400

3450

3500




-30

-31


-30

-30

-30



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
15000	Line Weight	0

LSPD