



DIGITAL LOG (785) 625-3858

Microresistivity Log

| | | |
|----------------|-------------------------------------|---------------------|
| API No. | 15-195-22,681-00-00 | |
| Company | Berecxco, LLC. | |
| Well | Advent No. 1 | |
| Field | Wakeeney East | |
| County | Trego | State |
| Location | NE SW SW SE 493' FSL & 2261' FEL | |
| Other Services | RAG | |
| Sec: | 13 | Twp: 11 S Rge: 23 W |

| | | | |
|------------------------|---------------|--------------------------|------|
| Permanent Datum | Ground Level | Elevation | 2279 |
| Log Measured From | Kelly Bushing | 11 Ft. Above Perm. Datum | |
| Drilling Measured From | Kelly Bushing | | |
| Date | 9/22/2010 | | |
| Run Number | Two | | |
| Depth Driller | 3960 | | |
| Depth Logger | 3964 | | |
| Bottom Logged Interval | 3963 | | |
| Top Log Interval | 2800 | | |
| Casing Driller | 8.625 @ 279 | | |
| Casing Logger | 280 | | |
| Bit Size | 7.875 | | |
| Type Fluid in Hole | Chemical | | |
| Salinity, ppm CL | 4.000 | | |
| Density / Viscosity | 9.4 | 66 | |
| pH / Fluid Loss | 10.4 | 7.8 | |
| Source of Sample | Flowline | | |
| Rm @ Meas. Temp | .95 | @ 70 | |
| Rmf @ Meas. Temp | .71 | @ 70 | |
| Rmc @ Meas. Temp | 1.28 | @ 70 | |
| Source of Rmf / Rmc | Charts | | |
| Rm @ BHT | .57 | @ 117 | |
| Operating Rig Time | 4 Hours | | |
| Max Rec. Temp. F | 117 | | |
| Equipment Number | 4 | | |
| Location | Hays | | |
| Recorded By | K. Bange | | |
| Witnessed By | Bryan Bynog | | |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Wakeeney, N to H rd, 2 E, 5 N (road curves east), 1/4 e, N into



Database File: c:\warrior\data\berexco_advent no. 1\berexco.db
 Dataset Pathname: rag/berexrag
 Presentation Format: micro
 Dataset Creation: Wed Sep 22 23:30:38 2010
 Charted by: Depth in Feet scaled 1:240



| | | |
|------|--------------------------|-----|
| 0 | Gamma Ray | 150 |
| 6 | Micro Log Caliper (GAPI) | 16 |
| -200 | SP (mV) | 0 |


| | | |
|-------|---------------------|----|
| 0 | Micro Inverse 1 X 1 | 40 |
| 0 | Micro Normal 2" | 40 |
| 15000 | Line Weight | 0 |

LSPD










3700

3750

3800

3850




-29


-29

-29

-29



| | | |
|------|--------------------------|-----|
| 0 | Gamma Ray | 150 |
| 6 | Micro Log Caliper (GAPI) | 16 |
| -200 | SP (mV) | 0 |



| | | |
|-------|---------------------|----|
| 0 | Micro Inverse 1 X 1 | 40 |
| 0 | Micro Normal 2'' | 40 |
| 15000 | Line Weight | 0 |

LSPD