



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company McCoy Petroleum Corporation		
15-179-21265-00-00	Well Shaw 'C' No. 1-10		
	Field Wildcat		
	County Sheridan	State	Kansas
	Location	NW - NW - NE 465' FNL & 2310' FEL	
	Sec: 10	Twp: 6 S	Rge: 30 W
	Permanent Datum	Ground Level	Elevation 2790
	Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
	Drilling Measured From	Kelly Bushing	
Date		9/15/2010	
Run Number		One	
Depth Driller		4170	
Depth Logger		4173	
Bottom Logged Interval		4172	
Top Log Interval		200	
Casing Driller		8.625 @ 218	
Casing Logger		219	
Bit Size		7.875	
Type Fluid in Hole		Chemical	
Salinity, ppm CL		1900	
Density / Viscosity		9.0 64	
pH / Fluid Loss		9.5 8.0	
Source of Sample		Flowline	
Rm @ Meas. Temp		2.90 @ 75	
Rmf @ Meas. Temp		2.18 @ 75	
Rmc @ Meas. Temp		3.92 @ 75	
Source of Rmf / Rmc		Charts	
Rm @ BHT		1.85 @ 118	
Operating Rig Time		3 Hours	
Max Rec. Temp. F		118	
Equipment Number		15	
Location		Hays	
Recorded By		B. Becker	
Witnessed By		Robert Hendrix	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Selden, Ks; 1/2 Southwest to 130W Rd;
3 West to 110N Rd; 1 North; West Into (bottom of hill)

Database File: c:\warrior\data\mccoy_shaw 'c' no. 1-10\mccoyhd.db
Dataset Pathname: DIL\mcstk
Presentation Format: dil2in
Dataset Creation: Wed Sep 15 10:54:56 2010
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
-200	SP (mV)	0

0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD	0
------	---








200
250
300
350
400
450
500
550
600
650







-82
-69
-69
-69
-103
-103
-103
-104
-103
-103


























Database File: c:\warrior\data\mccoy_shaw 'c' no. 1-10\mccoyhd.db
Dataset Pathname: DIL/mcstk
Presentation Format: dil
Dataset Creation: Wed Sep 15 10:54:56 2010
Charted by: Depth in Feet scaled 1:240






3700

3750

3800

3850

3900




-32

-31

-31

-32

-32




3950

4000

4050

4100




-32

-31

-31

-31



4150

