



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No. 15-159-22,620-00-00	Company Gilbert-Stewart Operating	Location 860' FNL & 2400' FWL	Other Services CNL/CDL MEL/DIL
Well Lincoln No.9	State Kansas		
Field Chase-Silica	County Rice	Sec: 16 Twp: 19S Rge: 9W	Elevation K.B. 1704 D.F. 1696 G.L. 1696
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 1696 8 Ft. Above Perm. Datum	

Date	8/7/2010
Run Number	Two
Type Log	BHC Sonic
Depth Driller	3325
Depth Logger	3325
Bottom Logged Interval	3314
Top Logged Interval	300
Type Fluid In Hole	Chemical
Salinity, PPM CL	5,900
Density	9.15
Level	Full
Max. Rec. Temp. F	109
Operating Rig Time	3 1/2 Hours
Equipment -- Location	10 Hays
Recorded By	C. Desaire
Witnessed By	Adam Kennedy

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	302	8.625	23#	00	302
Two	7.875	302	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bushton, 3 E,
8 S, 1 1/2 E, S Into

Database File: gshd.db
 Dataset Pathname: dil/gsstk2
 Presentation Format: sonic
 Dataset Creation: Sat Aug 07 17:57:10 2010
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		15000	LTEN (lb)	0

LSPD





























