



DIGITAL LOG (785) 625-3858

**Microresistivity
Log**

API No. 15-185-23,660-00-00

Company **G&T Petroleum Consulting**
 Well **Morris Trust No.1**
 Field **Rattlesnake West**
 County **Stafford** State **Kansas**

Location **SW NE NE NW
340' FNL & 2300' FWL**

Sec: **14** Twp: **24S** Rge: **14W**

Other Services
CNL/CDL
DIL/BHCS

Permanent Datum **Ground Level** Elevation **1942**
 Log Measured From **Kelly Bushing** 6 Ft. Above Perm. Datum
 Drilling Measured From **Kelly Bushing**

Elevation **K.B. 1948
D.F. 1942
G.L. 1942**

Date	1/31/2011
Run Number	Two
Depth Driller	4250
Depth Logger	4250
Bottom Logged Interval	4249
Top Log Interval	3600
Casing Driller	8.625 @ 222
Casing Logger	222
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	11,600
Density / Viscosity	9.7 47
pH / Fluid Loss	8.5 12.0
Source of Sample	Flowline
Rm @ Meas. Temp	.35 @ 45
Rmf @ Meas. Temp	.26 @ 45
Rmc @ Meas. Temp	.47 @ 45
Source of Rmf / Rmc	Charts
Rm @ BHT	.13 @ 121
Operating Rig Time	4 Hours
Max Rec. Temp. F	121
Equipment Number	17
Location	Hays
Recorded By	C. Desaire
Witnessed By	Justin Carter

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858



St John, Hwy 50, 3 W,
 1 N, 1 1/2 W, S Into



Database File: c:\warrior\data\g&t petroleum consulting_morris trust no.1\gthd.db
 Dataset Pathname: dil/gstsk
 Presentation Format: micro
 Dataset Creation: Mon Jan 31 22:41:39 2011
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD








4050

4100

4150

4200




-30

-30


-30

-30



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

4250



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD