



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No.	15-185-23,660-00-00		
Company	G&T Petroleum Consulting		
Well	Morris Trust No.1		
Field	Rattlesnake West		
County	Stafford	State	Kansas
Location	SW NE NE NW 340' FNL & 2300' FWL		
Sec: 14	Twp: 24S	Rge: 14W	Other Services CNL/CDL MEL/DIL
Permanent Datum	Ground Level	Elevation 1942	Elevation
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum	K.B. 1948
Drilling Measured From	Kelly Bushing		D.F. 1942

Date	1/31/2011	
Run Number	Two	
Type Log	BHC Sonic	
Depth Driller	4250	
Depth Logger	4250	
Bottom Logged Interval	4239	
Top Logged Interval	200	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	11,600	
Density	9.7	
Level	Full	
Max. Rec. Temp. F	121	
Operating Rig Time	4 Hours	
Equipment -- Location	17 Days	
Recorded By	C. Desaire	
Witnessed By	Justin Carter	

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	222	8.625	24#	00	222
2	7.875	222	4250				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



St John, Hwy 50, 3 W,
1 N, 1 1/2 W, S Into



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0



LSPD



































































0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
LSPD						