



**Dual Compensated
Porosity Log**

DIGITAL LOG (785) 625-3858

API No.	15-185-23,660-00-00	
Company	G&T Petroleum Consulting	
Well	Morris Trust No.1	
Field	Rattlesnake West	
County	Stafford	State Kansas
Location	SW NE NE NW 340' FNL & 2300' FWL	
Sec: 14	Twp: 24S	Rge: 14W
Other Services	DIL MEI/BHCS	

Permanent Datum	Ground Level	Elevation 1942
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	1/31/2011	Elevation K.B. 1948 D.F. 1942 G.L. 1942

Run Number	One
Type Log	CNL / CDL
Depth Driller	4250
Depth Logger	4250
Bottom Logged Interval	4229
Top Logged Interval	3600
Type Fluid In Hole	Chemical
Salinity, PPM CL	11,600
Density	9.7
Level	Full
Max. Rec. Temp. F	121
Operating Rig Time	4 Hours
Equipment -- Location	17 Hays
Recorded By	C. Desaire
Witnessed By	Justin Carter

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	222	8.625	24#	00	222
2	7.875	222	4250				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

St John, Hwy 50, 3 W,
1 N, 1 1/2 W, S Into



0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			







Database File: c:\warrior\data\g&t petroleum consulting_morris trust no.1\gthd.db
 Dataset Pathname: dil/gtstk
 Presentation Format: cndlspec
 Dataset Creation: Mon Jan 31 22:41:39 2011
 Charted by: Depth in Feet scaled 1:240









0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Neutron (Limestone)	-10		
30	Compensated Density (2.71 ma)	-10		
2.625	DGA	3.425 -0.25	Correction	0.25
15000	Line Tension	0		

LSPD