



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-163-23,915-00-00	Company Novy Oil & Gas, Inc.	Well Stice No. 7	Field Webster
	County Rooks	State Kansas	
	Location 1852' FSL & 1838' FEL		Other Services CNL/CDL DIL
	Sec: 28	Twp: 8 S	Rge: 19 W

Permanent Datum Ground Level	Kelly Bushing	Elevation 2019
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	

Date	1/31/2011
Run Number	Two
Depth Driller	3912
Depth Logger	3909
Bottom Logged Interval	3908
Top Log Interval	3100
Casing Driller	8.625 @ 237
Casing Logger	238
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	2.000
Density / Viscosity	9.1 58
pH / Fluid Loss	10.5 7.2
Source of Sample	Flowline
Rm @ Meas. Temp	.62 @ 50
Rmf @ Meas. Temp	.47 @ 50
Rmc @ Meas. Temp	.84 @ 50
Source of Rmf / Rmc	Charts
Rm @ BHT	.29 @ 117
Operating Rig Time	4 1/2 Hours
Max Rec. Temp. F	117
Equipment Number	4
Location	Hays
Recorded By	K. Bange
Witnessed By	Macklin Armstrong

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Zurich, 5 N to R rd, 1/4 W, N into

Database File: c:\warrior\data\novy_stice no. 7\novy013111hd.db
 Dataset Pathname: dil/novystack
 Presentation Format: micro
 Dataset Creation: Mon Jan 31 21:36:47 2011
 Charted by: Depth in Feet scaled 1:240




3300

3350

3400

3450

3500




-27

-27

-27

-27

-25




3550

3600

3650

3700





-25

-25

-26

-27



LSPD