



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	Company L.D. Drilling, Inc.				
	Well Siefkes "B" No. 15-3				
	Field Max				
	County	Stafford	State	Kansas	
15-185-23,646-00-00	Location	1206' FNL & 980' FWL			Other Services CNL/CDL DIL
	Sec: 3	Twp: 22 S	Rge: 12 W	Elevation K.B. 1857 D.F. 1853 G.L. 1853	
Permanent Datum	Ground Level	Elevation 1852			
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum			
Drilling Measured From	Kelly Bushing				
Date	11/08/2010				
Run Number	Two				
Depth Driller	3718				
Depth Logger	3717				
Bottom Logged Interval	3716				
Top Log Interval	2800				
Casing Driller	8.625 @ 395				
Casing Logger	393				
Bit Size	7.875				
Type Fluid in Hole	Chemical				
Salinity, ppm CL	8.000				
Density / Viscosity	9.4	50			
pH / Fluid Loss	9.0	10.8			
Source of Sample	Flowline				
Rm @ Meas. Temp	.45 @ 65				
Rmf @ Meas. Temp	.34 @ 65				
Rmc @ Meas. Temp	.61 @ 65				
Source of Rmf / Rmc	Charts				
Rm @ BHT	.25 @ 115				
Operating Rig Time	4 Hours				
Max Rec. Temp. F	115				
Equipment Number	4				
Location	Hays				
Recorded By	K. Bange				
Witnessed By	Josh Austin				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Great Bend, S to K-19, 6 E, 3/4 N, 1/4 E, N into



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0




0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD









3250

3300

3350

3400






3450

3500

3550

3600

3650




-29

-29


-29

-28

-29



3700



-24

LSPD