



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company L.D. Drilling, Inc. Well Siefkes "B" No. 15-3 Field Max County Stafford State Kansas					
15-185-23,646-00-00		Location 1206' FNL & 980' FWL			Other Services DIL MEL		
		Sec: 3 Twp: 22 S Rge: 12 W					
		Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 1852 5 Ft. Above Perm. Datum	K.B. 1857 D.F. G.L. 1853		
Date		11/08/2010					
Run Number		One					
Type Log		CNL / CDL					
Depth Driller		3718					
Depth Logger		3717					
Bottom Logged Interval		3696					
Top Logged Interval		2800					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		8,000					
Density		9.4					
Level		Full					
Max. Rec. Temp. F		115					
Operating Rig Time		4 Hours					
Equipment -- Location		4 Hays					
Recorded By		K. Bange					
Witnessed By		Josh Austin					
Borehole Record		Casing Record					
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	395	8.625	24#	00	395
2	7.875	395	3718				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Great Bend, S to K-19, 6 E, 3/4 N, 1/4 E, N into

Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			-0.25 Correction 0.25		
			LSPD		





0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
			15000	Line Tension	0
			-0.25 Correction 0.25		
			LSPD		

