



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-015-23,879-00-00

Company TriPower Resources, LLC

Well Mingenback No.9

Field Plum Grove South

County Butler State Kansas

Location

SE NE SE
1550' FSL & 330' FEL

Sec: 26 Twp: 24S Rge: 4E

Other Services
CNL/CDL
DIL
Elevation
K.B. 1444
D.F. 1434
G.L. 1434

Permanent Datum Ground Level Elevation 1434
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date 10/2/2010

Run Number Two

Type Log BHC Sonic

Depth Driller 2800

Depth Logger 2806

Bottom Logged Interval 2795

Top Logged Interval 200

Type Fluid In Hole Chemical

Salinity, PPM CL 900

Density 9.3

Level Full

Max. Rec. Temp. F 104

Operating Rig Time 3 Hours

Equipment -- Location 10 Days

Recorded By C. Desaire

Witnessed By Frank Mize

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
--------	-----	------	----	------	------	------	----

One	12.25	00	218	8.625	23#	00	218
-----	-------	----	-----	-------	-----	----	-----

Two	7.875	218	TD				
-----	-------	-----	----	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Potwin, 4 E to Shumway Rd,
1 1/2 N, W Into

Database File: c:\warrior\data\tripower_mingenback_#9--\tripowerhd.db
Dataset Pathname: dil/tristk
Presentation Format: sonic
Dataset Creation: Sat Oct 02 21:08:04 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		30	LTEN (lb)	0
				15000		

LSPD

























