



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company	LOTUS OPERATING COMPANY, LLC		
Well	ROSE #2		
Field			
County	BARBER	State	KANSAS
Location:	API # : 15-007-23590		Other Services CDL/CNL/PE SONIC/DIL
SEC 25 TWP 34S RGE 12W			
Permanent Datum	GROUND LEVEL	Elevation	1398
Log Measured From	KELLY BUSHING 8' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Elevation			
K.B.	1406		
D.F.			
G.L.	1398		
Date	9-29-10		
Run Number	TWO		
Depth Driller	5252		
Depth Logger	5252		
Bottom Logged Interval	5234		
Top Log Interval	3600		
Casing Driller	282		
Casing Logger	282		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3 / 44		
pH / Fluid Loss	9.5 / 10.4		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.80 @ 83F		
Rinf @ Meas. Temp	0.60 @ 83F		
Rinc @ Meas. Temp	0.96 @ 83F		
Source of Rinf / Rinc	MEASURED		
Rim @ BHT	.520 @ 127F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	2:15 A.M.		
Maximum Recorded Temperature	127F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	TIM HELLMAN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: MEDICINE LODGE, 17S, W INTO.





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 005692pdn.db
 Dataset Pathname: pass5.2
 Presentation Format: micro
 Dataset Creation: Wed Sep 29 07:10:52 2010
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








3800


3850

3900

3950









4250

4300

4350

4400






4450



4500



4550


4600

AGE











SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005692.pun.db
Dataset Pathname: pass4.2A
Presentation Format: micro
Dataset Creation: Wed Sep 29 07:20:33 2010
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report			
Database File: 005692pdn.db			
Dataset Pathname: pass5.2			
Dataset Creation: Wed Sep 29 07:10:52 2010			
MICRO Calibration Report			
Serial Number:	MICRO4		
Tool Model:	PROBE		
Performed:	Wed Sep 29 06:13:48 2010		
Caliper Calibration:	Gain=1.447	Offset=3.617	
References	Low Cal	High Cal	
Readings	11.500	15.500	
	5.449	8.214	
1.5" Calibration:	Gain=45.000	Offset=1.200	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.009	1.541	
2" Calibration:	Gain=40.000	Offset=1.000	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	1.198	
Gamma Ray Calibration Report			
Serial Number:	GR5		
Tool Model:	OPEN		
Performed:	Wed Sep 29 05:30:58 2010		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.6500	GAPI/cps	