LOG-TECH

DIGITAL LOG (785) 625-3858

Microresistivity Log

API No. 15-065-23703-00-00

Company Credo Petroleum Corporation

Well Richmeier No. 1-22

Field Unnamed

County Graham State Kansas

Location NW - NE - NW - SE
2520' FSL & 1765' FEL
Sec: 22 Twp: 8 S Rge: 25 W

Other Services
CNL/CDL
DIL

Elevation
K.B. 2383
D.F.
G.L. 2378

Permanent Datum Ground Level
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	1/8/2011		
Run Number	Two		
Depth Driller	3960		
Depth Logger	3961		
Bottom Logged Interval	3960		
Top Log Interval	3300		
Casing Driller	8.625 @ 247		
Casing Logger	248		
Bit Size	7.875		
Type Fluid in Hole	Chemial		
Salinity,ppm CL	1,200		
Density / Viscosity	9.3 / 59		
pH / Fluid Loss	10.0 / 7.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	2.20 @ 50		
Rmf @ Meas. Temp	1.65 @ 50		
Rmc @ Meas. Temp	2.97 @ 50		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.95 @ 116		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	116		
Equipment Number	15		
Location	Hays		
Recorded By	B. Becker		
Witnessed By	Bruce Ard		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Morland, Ks;
1 South; 1/4 West;
Northwest Into through pasture;
Follow path to location


Database File: credohd.db
Dataset Pathname: DIL/crdostk
Presentation Format: micro
Dataset Creation: Sat Jan 08 02:18:37 2011
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0


0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD




3500
-31
3550
-32
3600
-32
3650
-31
3700
-31


3750
-31
3800
-31
3850
-31
3900
-31



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD