



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company American Warrior, Inc.			
15-057-20,708-00-00		Well Burke No.1-27			
		Field Wildcat			
		County Ford		State Kansas	
		Location 175' FSL & 1100' FEL			
Sec: 27		Twp: 25S		Rge: 21W	
Permanent Datum		Ground Level		Elevation 2324	
Log Measured From		Kelly Bushing		11 Ft. Above Perm. Datum	
Drilling Measured From		Kelly Bushing		K.B. 2335 D.F. 2324 G.L. 2324	
Date		12/7/2010			
Run Number		One			
Depth Driller		4900			
Depth Logger		4905			
Bottom Logged Interval		4904			
Top Log Interval		250			
Casing Driller		8.625 @ 276			
Casing Logger		277			
Bit Size		7.875			
Type Fluid in Hole		Chemical			
Salinity,ppm CL		8.800			
Density / Viscosity		9.55 59			
pH / Fluid Loss		10.0 15.6			
Source of Sample		Flowline			
Rm @ Meas. Temp		.42 @ 54			
Rmf @ Meas. Temp		.32 @ 54			
Rmc @ Meas. Temp		.57 @ 54			
Source of Rmf / Rmc		Charts			
Rm @ BHT		.18 @ 125			
Operating Rig Time		4 Hours			
Max Rec. Temp. F		125			
Equipment Number		15			
Location		Hays			
Recorded By		C. Desaire			
Witnessed By		Harley Sayles			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Offerle, 2 1/2 W,
3 S, 1/4 W, N Into



Database File: c:\warrior\data\amwar_burke no.1-27\awhd.db
Dataset Pathname: dil/awstk
Presentation Format: dil2in
Dataset Creation: Wed Dec 08 01:37:43 2010
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0



0 Shallow Resistivity 50			LSPD
0 Deep Resistivity 50			
1000 Conductivity			0
15000 Line Tension			0
50	Shallow Resistivity	500	
50	Deep Resistivity	500	




























Database File: c:\warrior\data\amwar_burke no.1-27\awhd.db		
Dataset Pathname: dil/awstk		
Presentation Format: dil		
Dataset Creation: Wed Dec 08 01:37:43 2010		
Charted by: Depth in Feet scaled 1:240		
0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40
0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
LSPD		




3800

3850

3900

3950

4000




-31

-31

-31

-31

-31




4050

4100

4150

4200




-31

-31

-31

-31




4250

4300

4350

4400

4450




-30

-30

-30

-30

-30




4500

4550

4600

4650




-30

-30

-30

-30




4700

4750

4800

4850




-30


-30

-30

-30



4900



LSPD