



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-135-25,190-00-00

Company F.G. Holl Company, L.L.C.

Well Walker No.1-28

Field Wildcat

County Ness

State Kansas

Location

NW SE NW
1650' FNL & 1650' FWL

Other Services
DIL
MEL/BHCS

Sec: 28

Twp: 16S

Rge: 22W

Permanent Datum

Ground Level

Elevation 2391

Log Measured From

Kelly Bushing

8 Ft. Above Perm. Datum

K.B. 2399
D.F.
G.L. 2391

Drilling Measured From

Kelly Bushing

Date

11/28/2010

Run Number

One

Type Log

CNL / CDL

Depth Driller

4750

Depth Logger

4754

Bottom Logged Interval

4733

Top Logged Interval

2450

Type Fluid In Hole

Chemical

Salinity, PPM CL

4,900

Density

9.3

Level

Full

Max. Rec. Temp. F

124

Operating Rig Time

6 Hours

Equipment -- Location

4 Hays

Recorded By

C. Desaire

Witnessed By

Rene Husted

Run No

Bit

From

To

Size

Wgt.

From

To

280

00

8.625

23#

00

280

7.875

280

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Brownell, 1 1/2 W, 1/2 S, E Into

Database File: fghd.db
Dataset Pathname: dil/fgstk
Presentation Format: cdl
Dataset Creation: Sun Nov 28 06:29:24 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD































