



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company Kaiser-Francis Oil Company			
		Well Stuhisatz No 1			
		Field Unnamed			
		County Sumner	State	Kansas	
15-191-22,588-00-00		Location		550' FNL & 1576' FEL	
		Sec: 17	Twp: 30S	Rge: 3W	
Permanent Datum		Ground Level	Elevation 1355		Other Services CNL/CDL DIL/BHCS
Log Measured From		Kelly Bushing	9 Ft. Above Perm. Datum		
Drilling Measured From		Kelly Bushing			
Date		11/09/2010			
Run Number		Two			
Depth Driller		4410			
Depth Logger		4410			
Bottom Logged Interval		4409			
Top Log Interval		2800			
Casing Driller		8.625 @ 251			
Casing Logger		251			
Bit Size		7.875			
Type Fluid in Hole		Chemical			
Salinity, ppm CL		6.500			
Density / Viscosity		9.4	44		
pH / Fluid Loss		10.5	12.0		
Source of Sample		Flowline			
Rm @ Meas. Temp		.5 @ 68			
Rmf @ Meas. Temp		.38 @ 68			
Rmc @ Meas. Temp		.68 @ 68			
Source of Rmf / Rmc		Charts			
Rm @ BHT		.28 @ 122			
Operating Rig Time		4 1/2 Hours			
Max Rec. Temp. F		122			
Equipment Number		17			
Location		Hays			
Recorded By		Mike Garrison			
Witnessed By		Tim Priest			
				Elevation K.B. 1364 D.F. 1355 G.L. 1355	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Viola, 2.2 South, 1 1/4 West, South Into



Database File: c:\warrior\data\kaiser-francis_stuhisatz no 1\kaiserhd.db
Dataset Pathname: dil/kfstck
Presentation Format: micro
Dataset Creation: Tue Nov 09 09:12:02 2010
Charted by: Depth in Feet scaled 1:240


Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0








3250

3300

3350

3400




-34

-34

-34

-34




3450

3500

3550

3600

3650




-34

-34

-34

-34

-34





3700

3750

3800

3850






3900

3950

4000

4050




-33

-32

-32

-32




4100

4150

4200

4250

4300




-32

-32

-32


-32

-32



4350

4400



-31

-31

LSPD