



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company Russell Oil, Inc.			
		Well Seele "C" Unit No. 1			
		Field Seele (Extension)			
		County Thomas		State Kansas	
15-193-20,784-00-00		Location S2 SE SW NW 2,890' FSL & 990' FWL		Other Services CNL/CDL DIL	
Sec: 36		Twp: 10S		Rge: 34W	
Permanent Datum		Ground Level		Elevation 3200	
Log Measured From		Kelly Bushing		11 Ft. Above Perm. Datum	
Drilling Measured From		Kelly Bushing		K.B. 3211 D.F. G.L. 3200	
Date		12/18/2010			
Run Number		Two			
Depth Driller		4810			
Depth Logger		4810			
Bottom Logged Interval		4809			
Top Log Interval		3600			
Casing Driller		8.625 @ 270			
Casing Logger		269			
Bit Size		7.875			
Type Fluid in Hole		Chemical			
Salinity, ppm CL		4000			
Density / Viscosity		9.2 57			
pH / Fluid Loss		10.0 7.4			
Source of Sample		Flowline			
Rm @ Meas. Temp		.61 @ 45			
Rmf @ Meas. Temp		.46 @ 45			
Rmc @ Meas. Temp		.82 @ 45			
Source of Rmf / Rmc		Charts			
Rm @ BHT		.22 @ 124			
Operating Rig Time		4 1/2 Hours			
Max Rec. Temp. F		124			
Equipment Number		10			
Location		Hays			
Recorded By		J. Long			
Witnessed By		Steve Murphy			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Monument, West to Highway 4 and Highway 25 Intersection, 2 North, 1 West, 3/4 North, East Into

Database File: c:\warrior\data\russell_seele c unit no. 1\russelloil_seelec_1hd.db
Dataset Pathname: dil/russstock
Presentation Format: micro
Dataset Creation: Sat Dec 18 04:49:56 2010
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



3600


3650



3700


3750

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD









4050

4100

4150

4200






4250

4300

4350

4400

4450




-33

-33

-33

-33

-33






4500

4550

4600

4650





LSPD