

Dual Compensated Porosity Log

(785) 625-3858

Company **Russell Oil, Inc.**

Well Seele "C" Unit No. 1

Field Seele (Extension)

County Thomas State Kansas

15-193-20,784-00-00

Sec: 36 Twp: 10S Rge: 34W

Page: 34

Elevation

Ground Level	Elevation 3200
Kelly Bushing	11 Et Above Perm Datum

K.B. 3211

	12/18/2010
--	------------

12/18/2010

	CNL / CDL
--	-----------

CNL / CDL

	4810
--	------

4810

Interval	250
----------	-----

250

CL	4000
----	------

4000

Full	40	7
------	----	---

Full
404

me	4 1/2 Hours
esties	40

4 1/2 Hours

J. Long	
Steve Munch	

J. Long

Soleil Record	
From	To

5	
---	--

00	210
270	4810

210	
1810	

--	--

[illegible][illegible][illegible][illegible]

1

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Monument, West to Highway 4 and Highway 25 Intersection, 2 North, 1 West, 3/4 North, East Into


Database File: c:\warrior\data\russell_seele c unit no. 1\russelloil_seelec_1hd.db
Dataset Pathname: dil\russstock
Presentation Format: cdl
Dataset Creation: Sat Dec 18 04:49:56 2010
Charted by: Denth in Feet scaled 1:600


Charted by: Depth in feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD


















Database File: c:\warrior\data\russell_see c unit no. 1\russelloil_seelec_1hd.db
Dataset Pathname: dil/russstock
Presentation Format: cdl
Dataset Creation: Sat Dec 18 04:49:56 2010
Charted by: Depth in Feet scaled 1:600












































0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0
					LSPD


Database File: c:\warrior\data\russell_seele c unit no. 1\russelloil_seelec_1hd.db					
Dataset Pathname: dil/russstock					
Presentation Format: cndlspec					
Dataset Creation: Sat Dec 18 04:49:56 2010					
Charted by: Depth in Feet scaled 1:240					
0	Gamma Ray	150			
			30	Compensated Neutron (Limestone)	
			-----		-10
6	Caliper (GAPI)	16			
			30	Compensated Density (2.71 ma)	
			-----		-10
			2.625	DGA	3.425
			-0.25	Correction	0.25


			15000	Line Tension	
					0
					LSPD














0	Gamma Ray	150	30	Compensated Neutron (Limestone)		-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)		-10
2.625	DGA	3.425	-0.25	Correction		0.25
15000	Line Tension					0
						ISPD

[illegible]