



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-039-21,121-00-00		
Company	Cholla Production, LLC		
Well	May-Jording No. 1-14		
Field	Jording		
County	Decatur	State	Kansas
Location	330' FSL & 1320' FWL		
Sec:	14	Twp:	2S
		Rge:	30W
Permanent Datum	Ground Level	Elevation	2838
Log Measured From	Kelly Bushing	5	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
		Other Services	CNL/CDL MEL
		Elevation	K.B. 2843 D.F. 2838 G.L. 2838

Date	12/05/2010
Run Number	One
Depth Driller	4075
Depth Logger	4076
Bottom Logged Interval	4075
Top Log Interval	250
Casing Driller	8.625 @ 292
Casing Logger	292
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	1,400
Density / Viscosity	9.2 55
pH / Fluid Loss	10.5 7.6
Source of Sample	Flowline
Rm @ Meas. Temp	1.5 @ 68
Rmf @ Meas. Temp	1.13 @ 68
Rmc @ Meas. Temp	2.03 @ 68
Source of Rmf / Rmc	Charts
Rm @ BHT	.86 @ 119
Operating Rig Time	3 Hours
Max Rec. Temp. F	119
Equipment Number	17
Location	Hays
Recorded By	Mike Garrison
Witnessed By	Bill Goff

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Oberlin, 5 West to Traer Rd(5W), 3 North, 1 3/4 West, North Into




0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50




LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500

























Database File: c:\warrior\data\cholla_may-jording no. 1-14\cholla_jordinig-1-14hd.db
 Dataset Pathname: dil/chollastck
 Presentation Format: dil
 Dataset Creation: Sun Dec 05 10:22:02 2010
 Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0



LSPD


Database File: c:\warrior\data\cholla_may-jording no. 1-14\cholla_jordinig-1-14hd.db
 Dataset Pathname: dil/chollastck
 Presentation Format: dil
 Dataset Creation: Sun Dec 05 10:22:02 2010
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD






3450

3500

3550

3600

3650




-28

-28

-28

-28

-28




3700

3750

3800

3850




-27


-27

-27

-27



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

