

Dual Compensated Porosity Micro Log

DIGITAL LOG

(785) 625-3858

API No.

Company F.G.Holl Company, L.L.C.

Well Price Revocable Trust No. 1 - 28

Field Wildcat

County Pawnee State Kansas

Sec: 28 Twp: 20 S Rge: 19 W

Twp: 20 S

Rge: 19 W

Ground Level	Elevation 2182
--------------	----------------

From Kelly Bushing	8 Ft. Above Perm. Datum
red From Kelly Bushing	

Elevat

2190 אֶתְּחַלֵּץ

G.L. 2182

	1/31/2012
--	-----------

CNL / CDL / MICRO

	4259
--	------

Interval	1900
----------	------

MCL	4800
-----	------

Full	
------	--

Time	7 Hours
------	---------

	D. Martin
--	-----------

Borehole Record	

From

01

Size	Wg
------	----

From

10

530

TD

--	--

--	--

1

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Rush Center, KS
S to County Line, 4 S, 6 W,
1/4 S, W Into


Database File: fghd.db
Dataset Pathname: DIL/fgstk
Presentation Format: cdl
Dataset Creation: Tue Jan 31 21:41:55 2012
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD










2550

2600

2650

2700





-33


-33


-33


-33


















4050

4100

4150

4200

4250



-12

-12

-12

-12

-12

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
			LSPD


LOG-TECH


High Resolution

Database File: fghd.db
Dataset Pathname: DIL/fghires
Presentation Format: cndlspml
Dataset Creation: Tue Jan 31 21:49:13 2012
Charted by: Depth in Feet scaled 1:120

0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Neutron		-10
30	Compensated Density		-10
2.625	DGA	3.425	0 Micro Normal20
15000	Line Tension		0
			0 Micro Inverse20
			LSPD






2300

2350









LOG-TECH

High Resolution

Database File: fghd.db
 Dataset Pathname: DIL/fghires
 Presentation Format: cndlspml
 Dataset Creation: Tue Jan 31 21:49:13 2012
 Charted by: Depth in Feet scaled 1:120









4100

4150






Dataset Pathname: DIL/fgstk
Presentation Format: cndlspml
Dataset Creation: Tue Jan 31 21:41:55 2012
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Neutron	-10
30	Compensated Density	-10
2.625	DGA	3.425
15000	Line Tension	0


0 Micro Normal20


LSPD
































LOG-TECH

Dolomite Matrix (2.83)

Database File: fghd.db
 Dataset Pathname: DIL/fgdolo
 Presentation Format: cndldol
 Dataset Creation: Tue Jan 31 21:42:03 2012
 Charted by: Depth in Feet scaled 1:240

