



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	15-095-22224-00-00		
Company	Dixon Energy, Inc.		
Well	Scheer #2		
Field	Wildcat		
County	Kingman	State	Knasas
Location	E2 NW SW SE 990' FSL / 2145' FEL		
Sec: 31	Twp: 29S	Rge: 6W	Other Services CNL / CDL DIL
Permanent Datum	Ground Level	Elevation 1444	Elevation
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum	K.B. 1454
Drilling Measured From	Kelly Bushing		D.F. 1444
			G.L. 1444

Date	7/25/2011	
Run Number	Two	
Depth Driller	4242	
Depth Logger	4243	
Bottom Logged Interval	4242	
Top Log Interval	3000	
Casing Driller	8.625 @ 225	
Casing Logger	220	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	4500	
Density / Viscosity	9.4	54
pH / Fluid Loss	10.5	10.8
Source of Sample	Flowline	
Rm @ Meas. Temp	1.10 @ 80	
Rmf @ Meas. Temp	0.83 @ 80	
Rmc @ Meas. Temp	1.49 @ 80	
Source of Rmf / Rmc	Charts	
Rm @ BHT	0.74 @ 118	
Operating Rig Time	4 Hours	
Max Rec. Temp. F	118	
Equipment Number	15	
Location	Hays	
Recorded By	R. Barnhart	
Witnessed By	Ryan Dixon	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Rago, KS:
K42: 4E, 1N, 1/2W, N into


Database File: c:\warrior\data\dixon energy_scheer #2\dixon.db
 Dataset Pathname: dil/dixmain
 Presentation Format: micro
 Dataset Creation: Mon Jul 25 22:22:11 2011
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD






3200

3250

3300

3350

3400





-33


-32

-32

-32

-32






3650

3700

3750

3800

3850




-32

-31

-31

-31

-31




3900

3950

4000

4050




-31


-31

-30

-31



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
15000	Line Weight	0

LSPD