



DIGITAL LOG (785) 625-3858

Dual Induction Log

API No.	15-095-22224-00-00	
Company	Dixon Energy, Inc.	
Well	Scheer #2	
Field	Wildcat	
County	Kingman	State Knasas
Location	E2 NW SW SE 990' FSL / 2145' FEL	
Sec: 31	Twp: 29S	Rge: 6W
Other Services	CNL / CDL MEL	

Permanent Datum	Ground Level	Elevation 1444
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	7/25/2011	
Run Number	One	
Depth Driller	4242	
Depth Logger	4243	
Bottom Logged Interval	4242	
Top Log Interval	200	
Casing Driller	8.625 @ 225	
Casing Logger	220	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	4500	
Density / Viscosity	9.4	54
pH / Fluid Loss	10.5	10.8
Source of Sample	Flowline	
Rm @ Meas. Temp	1.10 @ 80	
Rmf @ Meas. Temp	0.83 @ 80	
Rmc @ Meas. Temp	1.49 @ 80	
Source of Rmf / Rmc	Charts	
Rm @ BHT	0.74 @ 118	
Operating Rig Time	4 Hours	
Max Rec. Temp. F	118	
Equipment Number	15	
Location	Hays	
Recorded By	R. Barnhart	
Witnessed By	Ryan Dixon	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.  
 (785) 625-3858

Rago, KS:  
 K42: 4E, 1N, 1/2W, N into

Database File: c:\warrior\data\dixon energy\_scheer #2\dixon.db  
 Dataset Pathname: dil/dixmain  
 Presentation Format: dil2in  
 Dataset Creation: Mon Jul 25 22:22:11 2011  
 Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50

LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500



























Database File: c:\warrior\data\dixon energy\_scheer #2\dixon.db  
 Dataset Pathname: dil/dixmain  
 Presentation Format: dil  
 Dataset Creation: Mon Jul 25 22:22:11 2011  
 Charted by: Depth in Feet scaled 1:240






3050

3100

3150

3200




-33

-33

-32

-33




3250

3300

3350

3400

3450




-32

-32

-32

-32

-32




3500

3550

3600

3650




-32

-32

-32

-32




3700

3750

3800

3850

3900




-31

-31


-31

-31


-31



3900  
3950  
4000  
4050  
4100




-31  
-31  
-30  
-31  
-31



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

4150

4200



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD




# Repeat Section

Database File: c:\warrior\data\dixon energy\_scheer #2\dixon.db  
 Dataset Pathname: dil/dixrpt  
 Presentation Format: dil  
 Dataset Creation: Mon Jul 25 21:02:14 2011  
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0


LSPD




4000  
4050  
4100  
4150  
4200



-32  
-33  
-33  
-33  
-32



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD