



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Indian Oil Company, Inc.		
	Well Boonedocker No.1		
	Field Stranathan Pool		
	County Barber	State	Kansas
15-007-23,640-00-00	Location NW SW NW SE 1720' FSL & 2324' FEL	Other Services CNL/CDL	
	Sec: 6 Twp: 35S Rge: 11W	Elevation	
Permanent Datum	Ground Level	Elevation 1365	
Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing	K.B. 1376 D.F. 1365 G.L. 1365	
Date	2/1/2011		
Run Number	One		
Depth Driller	5375		
Depth Logger	5370		
Bottom Logged Interval	5369		
Top Log Interval	250		
Casing Driller	13.375 @ 253		
Casing Logger	254		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	4.000		
Density / Viscosity	8.9 45 9.5 9.6		
pH / Fluid Loss	Flowline		
Source of Sample			
Rm @ Meas. Temp	.6 @ 40		
Rmf @ Meas. Temp	.45 @ 40		
Rmc @ Meas. Temp	.81 @ 40		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.18 @ 132		
Operating Rig Time	2 1/2 Hours		
Max Rec. Temp. F	132		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desai		
Witnessed By	Anthony Farrar	Scott Alberg	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Medicine Lodge,
S to Hwy 2,
1/2 E, N Into

Database File: c:\warrior\data\indian oil_boonedocker no.1\indianhd.db
Dataset Pathname: dil\indstk
Presentation Format: dil2in
Dataset Creation: Tue Feb 01 17:29:57 2011
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:500



0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD
0
0



































Database File: c:\warrior\data\indian oil_boonedocker no.1\indianhd.db
 Dataset Pathname: dil/indstk
 Presentation Format: dil
 Dataset Creation: Tue Feb 01 17:29:57 2011
 Charted by: Depth in Feet scaled 1:240






3850

3900

3950

4000




-33

-33

-33

-33




4050

4100

4150

4200

4250




-32

-32

-32

-32

-32




4300

4350

4400

4450




-32

-32

-32

-32




4500

4550

4600

4650

4700




-32

-32

-32

-32

-31




4750

4800

4850

4900




-31

-31

-31

-31




4950

5000

5050

5100




-31

-31

-31

-31




5150

5200

5250

5300

5350



-31

-31

-31

-30

-30

