




Dual Compensated
Porosity Log


DIGITAL LOG (785) 625-3858


API No.		Company Indian Oil Company, Inc.									
15-007-23,640-00-00		Well Boonedocker No.1									
		Field Stranathan Pool									
		County Barber									
		State Kansas									
Location		NW SW NW SE 1720' FSL & 2324' FEL								Other Services DIL	
Sec: 6		Twp: 35S Rge: 11W									
Permanent Datum		Ground Level		Elevation 1365		K.B. 1376					
Log Measured From		Kelly Bushing		11 Ft. Above Perm. Datum		D.F. 1365					
Drilling Measured From		Kelly Bushing				G.L. 1365					
Date		2/1/2011									
Run Number		One									
Type Log		CNL / CDL									
Depth Driller		5375									
Depth Logger		5370									
Bottom Logged Interval		5349									
Top Logged Interval		3800									
Type Fluid In Hole		Chemical									
Salinity, PPM CL		4.000									
Density		8.9									
Level		Full									
Max. Rec. Temp. F		132									
Operating Rig Time		2 1/2 Hours									
Equipment -- Location		17 Hays									
Recorded By		C. Desaire									
Witnessed By		Anthony Farrar		Scott Alberg							
Borehole Record		Casing Record									
Run No.	Bit	From	To	Size	Wgt.	From	To				
1	12.25	00	253	8.625	24#	00	253				
2	7.875	253	5375								
</											

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			







0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		

Database File:	c:\warrior\data\indian oil_boonedocker no.1\indianhd.db
Dataset Pathname:	dil/indstk
Presentation Format:	cnclspec
Dataset Creation:	Tue Feb 01 17:29:57 2011
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
			2.625	DGA	3.425
			-0.25	Correction	0.25
			15000	Line Tension	0
			LSPD		

