



SUPERIOR
Hays,
Kansas

SONIC
LOG

Company	VINCENT OIL CORP.	Company	VINCENT OIL CORPORATION
Well	SCOTT FARMS #1-13	Well	SCOTT FARMS #1-13
Field		Field	
County	FORD	County	FORD
State	KANSAS	State	KANSAS
Location:	API # : 15-057-20707-0000 1160' FNL & 1370' FWL	Other Services CDL/CNL/PE MEL/DIL	
Permanent Datum Log Measured From Drilling Measured From	GROUND LEVEL KELLY BUSHING 10' A.G.L. KELLY BUSHING	Elevation K.B. 2551 D.F. 2549 G.L. 2541	
Date	12-10-10		
Run Number	TWO		
Depth Driller	5450		
Depth Logger	5454		
Bottom Logged Interval	5447		
Top Log Interval	600		
Casing Driller	611		
Casing Logger	610		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.1 / 54	CHLORIDES 14000	
pH / Fluid Loss	9.0 / 11.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.60 @ 60F		
Rmf @ Meas. Temp	0.45 @ 60F		
Rmc @ Meas. Temp	0.72 @ 60F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	0.28 @ 129F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	129F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	JEFF GRONEWEG		
Witnessed By	KENLEBLANC		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: FORD, KS - WEST ON SADDLE RD 7 MILES TO RD 118
6 MILES SOUTH TO WILBORN RD - 1 MILE WEST - 2 MILES SOUTH - EAST INTO

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			









1050


1100


1150

1200












1700


1750



1800


1850













2600

2650

2700

2750








2800

2850

2900

2950






3000


3050

3100

3150

3200







3250


3300


3350


3400












4100


4150

4200

4250

4300







4350

4400

4450

4500






4550



4600


4650

4700

4750









5000

5050

5100

5150





5200

5250


5300


5350

5400

ABHV
4.5" CSG

ITT








SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 006309pe.db
 Dataset Pathname: pass5.1
 Presentation Format: slt
 Dataset Creation: Sat Dec 11 14:48:31 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		