



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company VINCENT OIL CORPORATION
Well CROCKETT #8-36
Field TROUSDALE WEST
County EDWARDS
State KANSAS

Company VINCENT OIL CORPORATION
Well CROCKETT #8-36
Field TROUSDALE WEST
County EDWARDS State KANSAS

Location: API # : 15-047-21594

990' FNL & 330' FEL

SEC 36 TWP 26S RGE 17W

Permanent Datum GROUND LEVEL Elevation 2102
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL
DIL

Elevation

K.B. 2107
D.F.
G.L. 2102

Date 12-5-10

Run Number TVMO

Depth Driller 4630

Depth Logger 4632

Bottom Logged Interval 4628

Top Log Interval 3800

Casing Driller 435

Casing Logger 435

Bit Size 7.875

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.4 / 45

pH / Fluid Loss 9.5 / 11.6

Source of Sample FLOWLINE

Rim @ Meas. Temp 0.60 @ 84F

Rmf @ Meas. Temp 0.45 @ 84F

Rmc @ Meas. Temp 0.72 @ 84F

Source of Rmf / Rmc MEASURED

Rim @ BHT .420 @ 121F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom 7:15 P.M.

Maximum Recorded Temperature 121F

Equipment Number 860

Location HAYS, KS.

Recorded By RUPP

Witnessed By MACKLIN ARMSTRONG

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: HAVILAND, 8N TO MULL FEEDERS SIGN, 1W, 1N, W INTO.




SUPERIOR
Hays,
Kansas



MAIN SECTION



Database File: 006305ddn.db
Dataset Pathname: pass5.1
Presentation Format: micro
Dataset Creation: Sun Dec 05 21:42:50 2010 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150
6	CALIPER (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	20
0	MEL2.0 (Ohm-m)	20









0	GAMMA RAY (GAPI)	150
6	CALIPER (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	20
0	MEL2.0 (Ohm-m)	20




SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 006305ddn.db
 Dataset Pathname: pass4.1A
 Presentation Format: micro
 Dataset Creation: Sun Dec 05 21:46:11 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	CALIPER (in)	16
0	MINMK	20


0	MEL1.5 (Ohm-m)	20
0	MEL2.0 (Ohm-m)	20




4400

4450

4500





Calibration Report

Database File: 006305ddn.db
 Dataset Pathname: pass5.1
 Dataset Creation: Sun Dec 05 21:42:50 2010 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number: Micro1
 Tool Model: ProbeL
 Performed: Sat Dec 04 04:59:39 2010

Caliper Calibration: Gain=3.275 Offset=-0.458

References	Low Cal	High Cal
Readings	7.000	14.000
	2.277	4.415

1.5" Calibration: Gain=42.000 Offset=0.200

References	Low Cal	High Cal
Readings	0.000	20.000
	0.003	0.844

2" Calibration: Gain=35.000 Offset=0.000

References	Low Cal	High Cal
Readings	0.000	20.000
	0.028	0.817
Gamma Ray Calibration Report		
Serial Number:	GR5	
Tool Model:	OPEN	
Performed:	Sun Dec 05 21:35:40 2010	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.6300	GAPI/cps