



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company H & C Oil Operating Inc			
15-065-23,722-00-00		Well Heim No. 29-1			
		Field Wildcat			
		County Graham		State Kansas	
		Location E2 SW SE NW 2,310' FNL & 1,750' FWL			
Sec: 29		Twp: 6 S		Rge: 23 W	
Permanent Datum		Ground Level		Elevation 2472	
Log Measured From		Kelly Bushing		7 Ft. Above Perm. Datum	
Drilling Measured From		Kelly Bushing		K.B. 2479 D.F. 2472 G.L. 2472	
Date		3/7/2011			
Run Number		Two			
Depth Driller		3980			
Depth Logger		3978			
Bottom Logged Interval		3977			
Top Log Interval		3400			
Casing Driller		8,625 @ 307			
Casing Logger		306			
Bit Size		7.875			
Type Fluid in Hole		Chemical			
Salinity, ppm CL		1000			
Density / Viscosity		9.6 51			
pH / Fluid Loss		9.0 8.8			
Source of Sample		Flowline			
Rm @ Meas. Temp		1.40 @ 52			
Rmf @ Meas. Temp		1.05 @ 52			
Rmc @ Meas. Temp		1.89 @ 52			
Source of Rmf / Rmc		Charts			
Rm @ BHT		.63 @ 116			
Operating Rig Time		5 Hours			
Max Rec. Temp. F		116			
Equipment Number		10			
Location		Hays			
Recorded By		Jim Schuler			
Witnessed By		Marc Downing			

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hill City, Kansas, 8 Miles North to Y Road, West 4 Milles
to 230 Road, North 1 3/4, E Into

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0




3400

3450

3500

3550




-34

-34

-34

-34

LSPD




3600

3650

3700

3750

3800





-34

-34

-33

-33

-30



LSPD