

Borehole Compensated Sonic Log

(785) 625-3858

Company H & C Oil Operating Inc

Well Heim No. 29-1

Field Wildcat

County
Graham
State
Kansas

15-065-23,722-00-00

Sec: 29 Twp: 6 S Rge: 23 W

Ground Level	Elevation 2472
Kelly Bushing	7 Ft. Above Perm. Datum

From Kelly Bushing

Elevation

2479 K.B. K.D.

	3/7/2011
--	----------

	BHC Soni
--	----------

	3978
--	------

Interval	300
----------	-----

1000	CL
------	----

7	450
7	450

me	5 Hours
estations	40

	Jim Schulte
	Marc Downes

Marc Downing

Borehole Record

From

To	
----	--

88

307	8
-----	---

307

3980	
------	--

--	--

--	--

--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Hill City, Kansas, 8 Miles North to Y Road, West 4 Mlles
to 230 Road, North 1 3/4, E Into



Database File: c:\warrior\data\h&c_heim no. 29-1\h&c_heim_29_1hd.db
Dataset Pathname: DIL/hcstk
Presentation Format: sonic
Dataset Creation: Mon Mar 07 15:00:03 2011
Charted by: Depth in Feet scaled 1:240



Charted by:			Depth in Feet scaled 1:2.15			
0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300		30	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
					LSPD	



























































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	15000	LTEN (lb)	0

LSPD