



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company		VINCENT OIL CORPORATION	
Well	WHITE #2-6	Field	KINGSDOWN NORTHWEST
County	FORD	State	KANSAS
Location:		API # : 15-057-20706-0000	Other Services CDL/CNL/PE DIL
SEC 6 TWP 29S RGE 22W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2491
Log Measured From	KELLY BUSHING 12' A.G.L.	D.F.	2501
Drilling Measured From	KELLY BUSHING	G.L.	2491
Date	11/18/10		
Run Number	THREE		
Depth Driller	5257		
Depth Logger	5262		
Bottom Logged Interval	5260		
Top Log Interval	4300		
Casing Driller	8 5/8"@613'		
Casing Logger	606		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4,800 PPM	
Density / Viscosity	9.4/57		
pH / Fluid Loss	9.5/10.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.600@60F		
Rmf @ Meas. Temp	.450@60F		
Rmc @ Meas. Temp	.720@60F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.283@127F		
Time Circulation Stopped	7 HOURS		
Time Logger on Bottom	3:00 A.M.		
Maximum Recorded Temperature	127F		
Equipment Number	0836		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS. (HWY 54 & 94) 1N. ON "RD. #125", 1W., 1/2N., E. INTO





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 005812pe.db
Dataset Pathname: pass10.4
Presentation Format: micro
Dataset Creation: Fri Nov 19 07:46:07 2010
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	10	TBHV			
			0 (ft3)	10		







4500

4550

4600

4650






4700


4750

4800

4850

4900







4950

5000

5050

5100









SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005812pe.db
Dataset Pathname: pass9.3
Presentation Format: micro
Dataset Creation: Fri Nov 19 07:22:49 2010
Charted by: Depth in Feet scaled 1:240







Calibration Report			
Database File:	005812pe.db		
Dataset Pathname:	pass10.4		
Dataset Creation:	Fri Nov 19 07:46:07 2010		
MICRO Calibration Report			
Serial Number:	MICRO5		
Tool Model:	PROBE		
Performed:	Tue Nov 16 10:29:47 2010		
Caliper Calibration:	Gain=3.127	Offset=-1.512	
	Low Cal	High Cal	
References	6.100	13.000	
Readings	2.435	4.641	
1.5" Calibration:	Gain=33.000	Offset=0.000	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.008	0.991	
2" Calibration:	Gain=46.000	Offset=-0.700	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.014	0.905	
Gamma Ray Calibration Report			

Serial Number:	GR3
Tool Model:	OPEN
Performed:	Fri Nov 19 07:07:10 2010

Calibrator Value:	200.0	GAPI
-------------------	-------	------

Background Reading:	3.0	cps
Calibrator Reading:	186.0	cps

Sensitivity:	0.8000	GAPI/cps
--------------	--------	----------