



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No. 15-065-23699-00-00	Company Vincent Oil Corporation	Location NE SW SE SW 450' FSL & 1720' FWL	Other Services CNL / CDL MEL / DIL
Well Worcester #1-32	County Graham		
Field Harmony	State Kansas		
Sec: 32	Twp: 17S	Rge: 22W	

Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 2135 5 Ft. Above Perm. Datum	K.B. 2140 D.F. G.L. 2135
--	--	---	--------------------------------

Date	11/13/2010
Run Number	Two
Type Log	BHC Sonic
Depth Driller	3650
Depth Logger	3656
Bottom Logged Interval	3645
Top Logged Interval	200
Type Fluid In Hole	Chemical
Salinity, PPM CL	1600
Density	9.3
Level	Full
Max. Rec. Temp. F	115
Operating Rig Time	4 Hours
Equipment -- Location	17 Hays
Recorded By	R. Barnhart
Witnessed By	Mike Maune

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	218	8.625	23#	00	218
Two	7.875	218	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hill City, KS:
2N, 2 1/2E, N into

Database File:	vincent_worcester1-32hdrpt.db
Dataset Pathname:	dill/@00028950
Presentation Format:	sonic
Dataset Creation:	Sat Nov 13 12:17:36 2010
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		15000	LTEN (lb)	0

LSPD

































